



SINCE 1976



Photo by Cindy Winterfeldt



LIFETIME GUARANTEE*

Register for
our newsletter!



TABLE + OF CONTENTS

PELI AIR CASE FEATURES	3
PELI AIR CASES	4-9
CASES SPECIFICATIONS	10
AVAILABLE STANDARD CONFIGURATIONS	11
PROTECTION SOLUTIONS	12
LIGHTWEIGHT PROTECTION FOR EVERYONE	13-15



PELI AIR CASE FEATURES

+ THE SCIENCE BEHIND STRENGTH AND LIGHTNESS

The Peli™ Air case has been designed to cut weight without compromising durability.

Our engineers have revolutionised the protector case by reducing structural waste while preserving Peli's legendary standards of strength. In development for years, the design team challenged the status quo to "add lightness" in every detail.

Here are some important reasons why Peli™ Air cases are both strong and light:

- Moulded from the next generation of Peli's lightweight HPX™ resin, a proprietary formula that rebounds without breaking
- Honeycomb structural elements that are actually stronger than solid polymer material
- Super-stiff "full box" sections engineered to create hollow parts

+ EXTREME ENGINEERING—UP TO 40% LIGHTER

Peli™ Air	Weight NF (kg)	Peli Equivalent	Weight NF (kg)	% var.
1485	2.1	1500	2.9	-26%
1525	2.7	1520	3.8	-28%
1535	3.9	1510	5.4	-28%
1555	3.3	1550	4.8	-35%
1605	4.2	1600	5.9	-33%
1615	6.4	1670	10.4	-40%

* Case weights are actual and percentage variance is adjusted for interior volume.

+ UP TO THE TEST

It wouldn't be a Peli™ case if you couldn't drop it, kick it and run over it – and the Peli™ Air case is no different.

- Drop-tested on concrete with loads from 1 m on all sides and corners
- Submerged for 30 minutes at a depth of one meter
- Wheels are roll tested over 1 km with loads at 8 km/h
- 12,7 kg steel dart dropped on all sides from 1 m

+ SHARED FEATURES ACROSS ALL MODELS

- A Watertight O-Ring Gasket
- B New Style "Conic Curve" Lid Shape
- C Super-light Proprietary HPX2 Polymer
- D Stainless Steel Hasp Protectors
- E Proven tough Press and Pull™ latches will keep the lid shut through rough handling but are easy to open on arrival
- F Automatic Purge Valve Balances Air Pressure
- G New Removable Polycarbonate Card Holder, with Front or Side Placement
- H Rubber Overmoulded Handles
- Crushproof and Dustproof



PELI AIR CASE FEATURES

PELI™ AIR

Rugged, uncompromising and trusted, Peli cases protect what matters to you, from the everyday to the extraordinary.

Up to 40% lighter than other polymer cases, Peli™ Air cases lighten the load for those who travel for work or leisure without sacrificing Peli's legendary standards of strength.

Engineered and manufactured in the U.S.

Guaranteed for Life.

*Check the specs for the exact weight of each model

Real photo of Peli Air case reaching 32,118m and -50° C in outer space.
See full video:



+45% 45% DEEPER
With over 33 cm of depth, these cases have room for your deeper shaped equipment.

WHEELED CASES

- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle (not available on 1745 case)

PRESS & PULL LATCHES
The Press & Pull latch is a unique latch that locks automatically, but opens with a light touch.

1465 AIR



INTERNAL DIMS:
47.3 x 25.4 x 27.8 cm
(18.62 x 9.99 x 10.93")

EXTERNAL DIMS:
52.9 x 32.1 x 32.4 cm
(20.83 x 12.62 x 12.75")

WEIGHT (EMPTY):
3.2 kg (7.12 lbs.)



- Press and Pull latches
- Automatic purge valve
- Business card holder



1465EMS AIR



INTERNAL DIMS:
47.3 x 25.4 x 27.8 cm
(18.62 x 9.99 x 10.93")

EXTERNAL DIMS:
52.9 x 32.1 x 32.4 cm
(20.83 x 12.62 x 12.75")

WEIGHT (EMPTY):
6 kg (13.30 lbs.)



- Removable trays
- Press and Pull latches
- Automatic purge valve
- Business card holder

1485 AIR



INTERNAL DIMS:
45.1 x 25.9 x 15.6 cm
(17.75 x 10.18 x 6.15")

EXTERNAL DIMS:
48.7 x 32.5 x 17.5 cm
(19.17 x 12.80 x 6.89")

WEIGHT (EMPTY):
2.1 kg (4.57 lbs.)



- Business card holder
- Automatic purge valve
- Press and Pull latches

1506 AIR LONG/DEEP



INTERNAL DIMS:
47.5 x 23.9 x 19.8 cm
(18.70 x 9.40 x 7.80")

EXTERNAL DIMS:
51.1 x 30.5 x 21.7 cm
(20.12 x 12.02 x 8.56")

WEIGHT (EMPTY):
2.4 kg (5.35 lbs.)



- Business card holder
- Automatic purge valve
- Press and Pull latches

1507 AIR



INTERNAL DIMS:
38.5 x 28.9 x 21.6 cm
(15.15 x 11.38 x 8.52")

EXTERNAL DIMS:
42.8 x 35.8 x 23.5 cm
(16.87 x 14.10 x 9.27")

WEIGHT (EMPTY):
2.4 kg (5.24 lbs.)



- Business card holder
- Automatic purge valve
- Press and Pull latches

PELI™ AIR 1465EMS: LIGHTWEIGHT EMS CASE

When every second counts, you can depend on the Peli™ Air 1465EMS case to keep you moving through harsh terrain. The three tier customisable pullout trays give you the flexibility to organise medical gear to any configuration.





Photo by Pol Tarrés

1525 AIR



INTERNAL DIMS:
52.1 x 28.7 x 17.1 cm
(20.50 x 11.31 x 6.75")

EXTERNAL DIMS:
55.8 x 35.5 x 19 cm
(21.96 x 13.97 x 7.49")

WEIGHT (EMPTY):
2.7 kg (5.99 lbs)



- ■ ■ ■
- Business card holder
- Automatic purge valve
- Press and Pull latches

1535 AIR WHEELED CARRY-ON*



INTERNAL DIMS:
51.8 x 28.4 x 18.3 cm
(20.39 x 11.20 x 7.21")

EXTERNAL DIMS:
55.8 x 35.5 x 22.8 cm
(21.96 x 13.97 x 8.98")

WEIGHT (EMPTY):
3.9 kg (8.69 lbs)



- ■ ■ ■
- Maximum airline carry-on size*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Press and Pull latches

1535TRVL AIR WHEELED CARRY-ON*



INTERNAL DIMS:
51.8 x 28.4 x 18.3 cm
(20.39 x 11.20 x 7.21")

EXTERNAL DIMS:
55.8 x 35.5 x 22.8 cm
(21.96 x 13.97 x 8.98")

WEIGHT (WITH ORGANIZERS):
5.5 kg (12.10 lbs)



- ■ ■ ■
- Maximum airline carry-on size*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Press and Pull latches

* Check with your airline for exact measurement requirements.

45% DEEPER, 40% LIGHTER



Peli™ Air cases range includes four deep case designs that are 45% deeper. With over 33 cm of depth, these Peli™ Air cases have room for your deeper shaped equipment, like drones and cinema-grade cameras. See models 1507, 1557, 1607 and 1637



Photo by David Ochoa

1535TPF AIR HYBRID



INTERNAL DIMS:
51.8 x 28.4 x 18.3 cm
(20.39 x 11.20 x 7.21")

EXTERNAL DIMS:
55.8 x 35.5 x 22.8 cm
(21.96 x 13.97 x 8.98")

WEIGHT (EMPTY):
5.40 kg (11.91 lbs)



-
- Maximum airline carry-on size*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Double-throw latches

1556 AIR LONG/DEEP



INTERNAL DIMS:
54.9 x 27.3 x 22.8 cm
(21.63 x 10.76 x 8.97")

EXTERNAL DIMS:
59.5 x 34.3 x 26.8 cm
(23.43 x 13.52 x 10.57")

WEIGHT (EMPTY):
4.4 kg (9.75 lbs)



-
- Business card holder
- Automatic purge valve
- Press and Pull latches

1555 AIR



INTERNAL DIMS:
58.4 x 32.4 x 19.1 cm
(23.00 x 12.75 x 7.50")

EXTERNAL DIMS:
62.9 x 39.3 x 20.9 cm
(24.76 x 15.46 x 8.24")

WEIGHT (EMPTY):
3.3 kg (7.37 lbs)



- ■ ■ ■
- Business card holder
- Automatic purge valve
- Press and Pull latches

1557 AIR



INTERNAL DIMS:
44.0 x 33.0 x 24.8 cm
(17.33 x 13.00 x 9.75")

EXTERNAL DIMS:
48.7 x 40.1 x 26.7 cm
(19.18 x 15.79 x 10.50")

WEIGHT (EMPTY):
3.0 kg (6.60 lbs)



- ■ ■ ■
- Business card holder
- Automatic purge valve
- Press and Pull latches



1605 AIR



INTERNAL DIMS:
66 x 35.6 x 21.3 cm
(26.00 x 14.00 x 8.38")

EXTERNAL DIMS:
73.3 x 42.6 x 23.2 cm
(28.87 x 16.77 x 9.12")

WEIGHT (EMPTY):
4.2 kg (9.28 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1606 AIR LONG/DEEP



INTERNAL DIMS:
62.3 x 31.2 x 26 cm
(24.54 x 12.30 x 10.22")

EXTERNAL DIMS:
69.6 x 38.4 x 30 cm
(27.42 x 15.13 x 11.83")

WEIGHT (EMPTY):
5.6 kg (12.45 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1607 AIR



INTERNAL DIMS:
53.5 x 40.2 x 29.5 cm
(21.05 x 15.81 x 11.63")

EXTERNAL DIMS:
61.3 x 47.8 x 33.7 cm
(24.13 x 18.80 x 13.25")

WEIGHT (EMPTY):
6.0 kg (13.20 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1615TRVL AIR WHEELED CHECK-IN*



INTERNAL DIMS:
75.2 x 39.4 x 23.8 cm
(29.59 x 15.50 x 9.38")

EXTERNAL DIMS:
82.8 x 46.7 x 28 cm
(32.58 x 18.40 x 11.02")

WEIGHT (WITH ORGANIZERS):
8.6 kg (19.00 lbs)



- Maximum airline check-in size*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Press and Pull latches



1615 AIR WHEELED CHECK-IN*



INTERNAL DIMS:
75.2 x 39.4 x 23.8 cm
(29.59 x 15.50 x 9.38")

EXTERNAL DIMS:
82.8 x 46.7 x 28 cm
(32.58 x 18.40 x 11.02")

WEIGHT (EMPTY):
6.4 kg (14.06 lbs)



- Maximum airline check-in size*
- Extending trolley handle
- Business card holder
- Automatic purge valve
- Quiet rolling stainless-steel bearing wheels
- Press and Pull latches



1626 AIR LONG/DEEP



INTERNAL DIMS:
71.5 x 35.8 x 29.8 cm
(28.14 x 14.10 x 11.72")

EXTERNAL DIMS:
79 x 43.3 x 33.9 cm
(31.12 x 17.05 x 13.33")

WEIGHT (EMPTY):
6.6 kg (14.65 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1637 AIR



INTERNAL DIMS:
59.5 x 44.6 x 33.7 cm
(23.43 x 17.55 x 13.25")

EXTERNAL DIMS:
67.6 x 52.5 x 37.8 cm
(26.61 x 20.65 x 14.87")

WEIGHT (EMPTY):
6.9 kg (15.20 lbs)



- Business card holder
- Automatic purge valve
- Press and Pull latches



1646 AIR



INTERNAL DIMS:
81.4 x 40.3 x 34.1 cm
(32.06" x 15.87" x 13.42")

EXTERNAL DIMS:
89.6 x 48.3 x 38.3 cm
(35.29" x 19.00" x 15.08")

WEIGHT (EMPTY):
9.3 kg (20.50 lbs)



- Press and Pull latches
- Automatic purge valve
- Business card holder



1745 AIR



INTERNAL DIMS:
111.8 x 42.6 x 20.3 cm
(44.00 x 16.77 x 8.00")

EXTERNAL DIMS:
118.6 x 49.2 x 22.2 cm
(46.69 x 19.36 x 8.73")

WEIGHT (EMPTY):
7.8 kg (17.26 lbs)



- Press and Pull latches
- Automatic purge valve
- Business card holder



PELI™ AIR LONG CASE FOR LENGTHY EQUIPMENT

We've stretched out our line of Pelicase™ Air cases, so now you can protect your long equipment inside the world's toughest and lightest case. 111.8 cm long with built-in wheels, the Pelicase™ Air 1745 case keeps you rolling and provides the perfect leg room to protect survey equipment, tripods and other lengthy equipment.

* Check with your airline for exact measurement requirements.

PELI™ AIR CASE SPECIFICATIONS

CAT. NO.	INTERIOR DIMENSIONS	EXTERIOR DIMENSIONS	LID DEPTH	BOTTOM DEPTH	WEIGHT (EMPTY)	BUOYANCY	COLOURS
1465 AIR	47.3 x 25.4 x 27.8 cm	52.9 x 32.1 x 32.4 cm	12.5 cm	15.2 cm	3.2 kg	37.2 kg	■
1465EMS AIR	47.3 x 25.4 x 27.8 cm	52.9 x 32.1 x 32.4 cm	12.5 cm	15.2 cm	6 kg	37.2 kg	■
1485 AIR	45.1 x 25.9 x 15.6 cm	48.7 x 32.5 x 17.5 cm	4.6 cm	11 cm	2.1 kg	18.6 kg	■ ■ ■ ■
1506 AIR	47.5 x 23.9 x 19.8 cm	51.1 x 30.5 x 21.7 cm	5.1 cm	14.7 cm	2.4 kg	23.4 kg	■
1507 AIR	38.5 x 28.9 x 21.6 cm	42.8 x 35.8 x 23.5 cm	5.2 cm	16.5 cm	2.4 kg	24.5 kg	■ ■ ■ ■
1525 AIR	52.1 x 28.7 x 17.1 cm	55.8 x 35.5 x 19 cm	5.1 cm	12.1 cm	2.7 kg	26.3 kg	■ ■ ■ ■
1535 AIR	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	3.9 kg	29.4 kg	■ ■ ■ ■
1535 TRVL	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	5.5 kg (with organisers)	29.4 kg	■ ■ ■ ■
1535 HYBRID	51.8 x 28.4 x 18.3 cm	55.8 x 35.5 x 22.8 cm	5.1 cm	13.2 cm	5.40 kg	29.4 kg	■
1555 AIR	58.4 x 32.4 x 19.1 cm	62.9 x 39.3 x 20.9 cm	5.1 cm	14 cm	3.3 kg	36.8 kg	■ ■ ■ ■
1556 AIR	54.9 x 27.3 x 22.8 cm	59.5 x 34.3 x 26.8 cm	5.1 cm	17.7 cm	4.4 kg	38.5 kg	■
1557 AIR	44.0 x 33.0 x 24.8 cm	48.7 x 40.1 x 26.7 cm	5.1 cm	19.6 cm	3.0 kg	36.3 kg	■ ■ ■ ■
1605 AIR	66 x 35.6 x 21.3 cm	73.3 x 42.6 x 23.2 cm	5.1 cm	16.2 cm	4.2 kg	51.2 kg	■ ■ ■ ■
1606 AIR	62.3 x 31.2 x 26 cm	69.6 x 38.4 x 30 cm	5.1 cm	20.9 cm	5.6 kg	56.1 kg	■
1607 AIR	53.5 x 40.2 x 29.5 cm	61.3 x 47.8 x 33.7 cm	5.1 cm	24.4 cm	6.0 kg	80.7 kg	■ ■ ■ ■
1615 AIR	75.2 x 39.4 x 23.8 cm	82.8 x 46.7 x 28 cm	5.1 cm	18.7 cm	6.4 kg	76.7 kg	■ ■ ■ ■
1615 TRVL	75.2 x 39.4 x 23.8 cm	82.8 x 46.7 x 28 cm	5.1 cm	18.7 cm	8.6 kg (with organisers)	76.7 kg	■ ■ ■ ■
1626 AIR	71.5 x 35.8 x 29.8 cm	79 x 43.3 x 33.9 cm	5.1 cm	24.7 cm	6.6 kg	84.1 kg	■
1637 AIR	59.5 x 44.6 x 33.7 cm	67.6 x 52.5 x 37.8 cm	5.1 cm	28.4 cm	6.9 kg	94.8 kg	■ ■ ■ ■
1646 AIR	81.4 x 40.3 x 34.1 cm	89.6 x 48.3 x 38.3 cm	5 cm	29.1 cm	9.3 kg	119.3 kg	■
1745 AIR	111.8 x 42.6 x 20.3 cm	118.6 x 49.2 x 22.2 cm	6.4 cm	13.9 cm	7.8 kg	98.4 kg	■

The following certificates apply to all Peli™ Air Cases: IP67, DEF STAN 81-41

AVAILABLE STANDARD CONFIGURATIONS



CAT. NO.	NO FOAM	PICK N PLUCK FOAM	PADDED DIVIDERS	TREMPAK™ DIVIDERS	HYBRID PROTECTION
1465 AIR	Yes (Black Only)	Yes (Black Only)	No	No	No
1465EMS AIR	No	No	No	No	No
1485 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1506 AIR	Yes (Black Only)	No	No	No	No
1507 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
1525 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1535 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1535 HYBRID	No	No	No	No	Yes (Black Only)
1555 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1556 AIR	Yes (Black Only)	No	No	No	No
1557 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
1605 AIR	Yes (All Colours)	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No
1606 AIR	Yes (Black Only)	No	No	No	No
1607 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No	No
1615 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	Yes (Black Only)	No
1626 AIR	Yes (Black Only)	No	No	No	No
1637 AIR	Yes (All Colours)	Yes (Black Only)	Yes (Black Only)	No	No
1646 AIR	Yes (Black Only)	Yes (Black Only)	No	No	No
1745 AIR	Yes (Black Only)	Yes (Black Only)	No	No	No

PELI AIR AVAILABLE STANDARD CONFIGURATIONS

PELI™ AIR PROTECTION SOLUTIONS

Peli™ Air Cases are available empty or with any of the following protection solutions.

Check how to install all accessories through our easy step-by-step Tutorial videos



+ PREMIUM PROTECTION: PELI+TREKPAK™

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins. Learn more at peli.com/trempak



+ HYBRID PROTECTION: PICK N PLUCK™+TREKPAK™

No longer choose between the versatility of the TrekPak™ divider system or the protection of the manually customisable Pick N Pluck™ foam. Peli™ Air Hybrid protection features both. Only available for the Peli™ Air 1535 case.




+ PADDED DIVIDER SYSTEM

- Full Sewn Tub with Felt Exterior
- Velcro™ Compatible Nylex™ Interior
- Elastic Hold Down Straps
- High-Visibility Yellow Interior
- Set Includes: 1 Tub, 2 Large Dividers, 6 Medium Dividers, 3 Small Dividers



+ EFFORTLESS PROTECTION: EASY PICK N PLUCK™

Peli™ Air cases have been designed to protect equipment of all kinds, no matter the size or shape. Most Peli protector cases come with our Pick N Pluck™ shock-absorbent foam, pre-scored in tiny cubes. The item is placed on the foam, outlined with chalk, and then the cubes around the item are removed to form a secure, protective cocoon.



+ EZ-CLICK™ MOLLE PANEL

The first lid organiser of its kind that can quickly be released and swapped out without tools. Engineered to fit in the 1535 Peli Air case, the panel is compatible with user-supplied MOLLE pouches and Velcro™ brand straps.



PELI™ AIR TRAVEL CASES LIVE YOUR ADVENTURES WITH TOTAL PEACE OF MIND



PELI™ AIR 1615 TRAVEL CASE
–WHEELED CHECK-IN*
Maximum airline dimensions for checked baggage without oversize charges.



Travelling with equipment in the field is one of the biggest issues for professionals who are frequently on the road or for those who go outdoors to live their adventures. Now you can travel smarter thanks to Peli™ Air Travel (TRVL) Cases.

Just take your indestructible and lightweight travel companion with you and Bon Voyage!

Lid organisers have zippered compartments for stowing larger items and see-through mesh pockets secure passports and cables. Packing cubes keep gear tightly bundled and allow you to arrange your gear by stacking or grouping side by side. Peli™ Air Travel Cases are also built for versatility. Just remove the packing cubes and replace with optional Trekpak™ dividers, padded dividers or Pick N Pluck™ foam interior solutions (available separately).

FLY PAST ADDED LUGGAGE CHARGES

The Peli™ Air 1535 Travel case is optimised for carry-on/overhead bin sizes and the Peli™ Air 1615 Travel case is built to maximum airline dimensions* for checked baggage without oversize charges.

PELI™ AIR 1535 TRAVEL CASE
–WHEELED CARRY-ON*
Optimized for carry-on/overhead bin size.

*Check with your airline for exact measurement requirements

LIGHTWEIGHT PROTECTION FOR ANYONE

+ ONE SIZE DOESN'T FIT ALL

Peli understands that finding the right protection, with the perfect fit for your gear, is a priority. Peli™ Air began with long protection and quickly grew to offer you deep protection. The time has come to combine those two in order to create Peli's new Long/Deep Series (cases 1506, 1556, 1606 and 1626).

Peli™ Air cases offer both long, deep, and long/deep variations you won't find in our Peli™ Protector Case™ line.




Photo by Uros Podlogar

+ PREMIUM PROTECTION FOR PRO CAMERAS

Having the right camera and being passionate about what you do is key to be a successful photographer. However, having the right protection for your valuable gear will help you focus on the job without worries.

The right camera case will allow you to travel safe, no matter where! Your equipment will be safe from weather conditions and rough handling.

Peli Air cases offer lightweight impact protection for all kind of cameras and with enough additional space for lenses, cables, optics and other accessories. Up to 40% lighter than other polymer protector cases, Peli Air is the preferred companion of those outdoor or travel photographers who need to travel lightweight, but still need the best of protection for their valuable DSLR cameras.



Complement your Peli Air case with Peli's extremely handy memory card cases or micro cases to store the smaller accessories. Learn more at Peli.com.

LEARN MORE
www.peli.com/air-cameras



Photo by Uros Podlogar

+ DEEP SIZED CASES FOR ULTIMATE DRONE FIT

Peli Air cases will allow you to travel comfortably, while still offering the best protection for your drone. Portability and compact-size have become important criteria when choosing a drone and thus the need of having a high impact resistant and efficient carrying case has become imperative.

With over 33 cm of depth, the deeper sized models will allow you to easily fit in your larger drone or quadcopter with all its accessories, like blades, props, cables, goggles, chargers and more.



LEARN MORE
www.peli.com/drone-cases



+ BEST FIT

Whatever drone, there is a Peli Air case for you! For instance:

DRONE MODEL	BEST FIT
DJ Mavic Pro / 2	1485 air case
Parrot Anafi	1485 air case
Yuneec Mantis	1485 air case
Autel EVO	1485 air case
DJI PHANTOM 4 (advanced, v2)	1607 air case

LEARN MORE ABOUT + OUR PRODUCTS



www.peli.com



AVAILABLE IN 18 LANGUAGES!

www.pelicatalogue.com



www.peli.com/webinars



EMEA

EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U.
C/ Provença, 388 Planta 7
08025 Barcelona, Spain
Tel +34 934 674 999
Fax +34 934 877 393
www.peli.com

FRANCE

PELI PRODUCTS FRANCE
S.A.S.
20/22 Rue des Petits Hôtels
75010 Paris, France
Tel +33 (0)1 44 83 95 63
Fax +33 (0)1 44 83 95 68
www.peli.com

UK

PELI HARDIGG UK
Unit 4, Brookfield Industrial Estate
Leacon Road
Ashford Kent TN23 4TU
Tel + 44 (0) 1233 895 895
Fax +44 (0) 1233 895 899
www.peli.com

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS

23215 Early Avenue
Torrance, CA 90505 USA
Tel 310.326.4700
800.473.5422 (Outside CA)
Fax 310.326.3311
www.pelican.com

GERMANY

PELI PRODUCTS GERMANY GmbH
Düsseldorf Kö-Bogen
Business Center
Königsallee 2b, 5th Floor
40212 Düsseldorf, Germany
Tel +49 (0) 211 882 42 401
Fax +49 (0) 211 882 42 200
www.peli.com

UAE

PELICAN PRODUCTS FZE
JAFZA One Building A office 1511/1512
Jebel Ali Free Zone gate 5
P.O.Box 261008
Dubai – United Arab Emirates
Tel +971 4 8876550
Fax +971 4 8876549
www.pelican.com
www.peli.com

TURKEY

PELI PRODUCTS ANKARA
BRANCH OFFICE
Beştepe Mahallesi,
Nergis Sokak No:7/2
Via Flat İş Merkezi,
Plaza Cubes No:87
Tel +90 312 248 13 86
www.peli.com

PELICAN HARDIGG

147 North Main Street
South Deerfield, MA 01373
Tel (800) 542 73 44
Fax (413) 665 8330
www.pelican.com

* We also have offices in Canada, Japan, China, Australia, South Korea and India

INJECTION MOULDED CASES - PELI LIMITED LIFETIME* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime* against breakage or defects in workmanship. Peli™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see www.peli.com/guarantee

* Lifetime Guarantee not applicable where prohibited by law.

Distributed by:



©2022 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com.
Part No. 0050-100-000E JAN 22

Follow us on:

PELInsights



Check out our latest posts on Peli Air Cases, get to know our Pro Users and take part in our different programs.

This and more on the brand new PELI blog!



Check out our Peli Air Cases video!

PELI AIR
PREMIUM PROTECTION
FOR PRO EQUIPMENT

